

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
1	AABERG CLAY LOAM, 6 TO 15 PERCENT SLOPES								
		AABERG	80	> 72	None	Very limited	Very limited	Slow	Very high
10	BROSS-MIRROR EXTREMELY STONY SANDY LOAMS, 20 TO 50 PERCENT SLOPES								
		BROSS	60	> 72	None	Very limited	Very limited	Moderately rapid	Medium
		MIRROR	30	> 72	None	Very limited	Very limited	Slow	High
11	CEBONE LOAM, 15 TO 50 PERCENT SLOPES								
		CEBONE	85	> 72	None	Very limited	Very limited	Slow	Very high
12	CIMARRON LOAM, 2 TO 6 PERCENT SLOPES								
		CIMARRON	85	> 72	None	Somewhat limited	Somewhat limited	Slow	High
13	CIMARRON LOAM, 6 TO 15 PERCENT SLOPES								
		CIMARRON	85	> 72	None	Somewhat limited	Very limited	Slow	Very high
14	CIMARRON LOAM, 15 TO 35 PERCENT SLOPES								
		CIMARRON	85	> 72	None	Very limited	Very limited	Slow	Very high
15	CLAYBURN LOAM, 2 TO 6 PERCENT SLOPES								
		CLAYBURN	80	> 72	None	Somewhat limited	Somewhat limited	Moderate	Low
16	CLAYBURN LOAM, 6 TO 15 PERCENT SLOPES								
		CLAYBURN	85	> 72	None	Somewhat limited	Very limited	Moderate	Medium
17	CLAYBURN LOAM, 15 TO 25 PERCENT SLOPES								
		CLAYBURN	85	> 72	None	Very limited	Very limited	Moderate	High
18	CLAYBURN LOAM, 25 TO 50 PERCENT SLOPES								
		CLAYBURN	85	> 72	None	Very limited	Very limited	Moderate	High
19	COWDREY LOAM, 2 TO 6 PERCENT SLOPES								
		COWDREY	85	> 72	None	Somewhat limited	Somewhat limited	Slow	High
2	AABERG CLAY LOAM, 15 TO 30 PERCENT SLOPES								
		AABERG	80	> 72	None	Very limited	Very limited	Slow	Very high
20	COWDREY LOAM, 6 TO 15 PERCENT SLOPES								
		COWDREY	85	> 72	None	Somewhat limited	Very limited	Slow	Very high
21	COWDREY LOAM, 15 TO 45 PERCENT SLOPES								
		COWDREY	85	> 72	None	Very limited	Very limited	Slow	Very high
22	CRYAQUEPTS, SLOPING								
		CRYAQUEPTS	85	6-72	None	Very limited	Very limited	Slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
23	CRYOBOROLLS-ROCK OUTCROP COMPLEX, VERY STEEP								
		CRYOBOROLLS	70	> 72	None	Very limited	Very limited	Moderately slow	Very high
		ROCK OUTCROP	20	> 72	None	Very limited	Very limited	Very slow	Very high
24	CRYORTHENTS-ROCK OUTCROP COMPLEX, EXTREMELY STEEP								
		CRYORTHENTS	55	> 72	None	Very limited	Very limited	Moderate	Medium
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Very high
25	CUMULIC CRYAQUOLLS, NEARLY LEVEL								
		CUMULIC CRYAQUOLLS	90	18-72	Occasional	Very limited	Very limited	Moderately rapid	Very low
26	DAHLQUIST-BOETTCHER COMPLEX, 6 TO 30 PERCENT SLOPES								
		DAHLQUIST	50	> 72	None	Very limited	Very limited	Moderate	Medium
		BOETTCHER	30	> 72	None	Very limited	Very limited	Slow	Very high
27	DAHLQUIST-STUNNER VERY COBBLY LOAMS, 3 TO 15 PERCENT SLOPES								
		DAHLQUIST	50	> 72	None	Very limited	Very limited	Moderate	Medium
		STUNNER	40	> 72	None	Somewhat limited	Very limited	Moderately slow	High
28	DAHLQUIST-STUNNER VERY COBBLY LOAMS, 15 TO 50 PERCENT SLOPES								
		DAHLQUIST	50	> 72	None	Very limited	Very limited	Moderate	High
		STUNNER	40	> 72	None	Very limited	Very limited	Moderately slow	Very high
29	FORELLE LOAM, 3 TO 15 PERCENT SLOPES								
		FORELLE	90	> 72	None	Somewhat limited	Very limited	Moderate	Medium
30	FORELLE LOAM, 15 TO 30 PERCENT SLOPES								
		FORELLE	90	> 72	None	Very limited	Very limited	Moderate	High
31	FRISCO-PEELER GRAVELLY SANDY LOAMS, 2 TO 6 PERCENT SLOPES								
		FRISCO	65	> 72	None	Very limited	Somewhat limited	Moderate	Low
		PEELER	25	> 72	None	Not limited	Somewhat limited	Moderate	Low
32	FRISCO-PEELER GRAVELLY SANDY LOAMS, 6 TO 25 PERCENT SLOPES								
		FRISCO	65	> 72	None	Very limited	Very limited	Moderate	Medium
		PEELER	25	> 72	None	Very limited	Very limited	Moderate	Medium

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
33	FRISCO-PEELER GRAVELLY SANDY LOAMS, 25 TO 65 PERCENT SLOPES								
		FRISCO	65	> 72	None	Very limited	Very limited	Moderate	High
		PEELER	25	> 72	None	Very limited	Very limited	Moderate	High
34	GATEWAY LOAM, 6 TO 15 PERCENT SLOPES								
		GATEWAY	85	> 72	None	Somewhat limited	Very limited	Slow	Very high
35	GATEWAY LOAM, 15 TO 50 PERCENT SLOPES								
		GATEWAY	90	> 72	None	Very limited	Very limited	Slow	Very high
36	GRENADIER GRAVELLY LOAM, 15 TO 55 PERCENT SLOPES								
		GRENADIER	90	> 72	None	Very limited	Very limited	Moderate	High
37	HARSHA LOAM, 0 TO 6 PERCENT SLOPES								
		HARSHA	90	> 72	None	Somewhat limited	Somewhat limited	Moderate	Low
38	HARSHA LOAM, 6 TO 15 PERCENT SLOPES								
		HARSHA	90	> 72	None	Somewhat limited	Very limited	Moderate	Medium
39	HARSHA LOAM, 15 TO 50 PERCENT SLOPES, ERODED								
		HARSHA, ERODED	90	> 72	None	Very limited	Very limited	Moderate	High
4	ANVIK LOAM, 15 TO 50 PERCENT SLOPES								
		ANVIK	85	> 72	None	Very limited	Very limited	Moderate	Medium
40	HARSHA COBBLY LOAM, 15 TO 50 PERCENT SLOPES								
		HARSHA	90	> 72	None	Very limited	Very limited	Moderate	High
41	HISTIC CRYAQUOLLS, NEARLY LEVEL								
		HISTIC CRYAQUOLLS	85	12-72	Frequent	Very limited	Very limited	Slow	High
42	IRIGUL CHANNERY LOAM, 6 TO 30 PERCENT SLOPES								
		IRIGUL	90	> 72	None	Very limited	Very limited	Slow	Very high
43	LAKE CREEK LOAM, 15 TO 50 PERCENT SLOPES								
		LAKE CREEK	90	> 72	None	Very limited	Very limited	Very slow	High
44	LEADVILLE STONY LOAM, 15 TO 50 PERCENT SLOPES								
		LEADVILLE	90	> 72	None	Very limited	Very limited	Moderate	High
45	LEAVITT LOAM, 0 TO 6 PERCENT SLOPES								
		LEAVITT	90	> 72	None	Not limited	Somewhat limited	Moderately slow	Medium
46	LEAVITT LOAM, 6 TO 15 PERCENT SLOPES								
		LEAVITT	90	> 72	None	Somewhat limited	Very limited	Moderately slow	High

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
48	LEIGHCAN GRAVELLY SANDY LOAM, 15 TO 70 PERCENT SLOPES								
		LEIGHCAN	85	> 72	None	Very limited	Very limited	Moderate	High
49	LEIGHCAN BOULDERY SANDY LOAM, 15 TO 70 PERCENT SLOPES								
		LEIGHCAN	85	> 72	None	Very limited	Very limited	Moderately rapid	Medium
5	BENTEEN LOAM, 6 TO 15 PERCENT SLOPES								
		BENTEEN	80	> 72	None	Very limited	Very limited	Very slow	High
50	LYMANSON LOAM, 6 TO 15 PERCENT SLOPES								
		LYMANSON	90	> 72	None	Somewhat limited	Very limited	Slow	High
51	LYMANSON LOAM, 15 TO 40 PERCENT SLOPES								
		LYMANSON	90	> 72	None	Very limited	Very limited	Slow	High
52	MAYOWORTH CLAY LOAM, 6 TO 15 PERCENT SLOPES								
		MAYOWORTH	90	> 72	None	Somewhat limited	Very limited	Very slow	Very high
53	MAYOWORTH CLAY LOAM, 15 TO 50 PERCENT SLOPES								
		MAYOWORTH	90	> 72	None	Very limited	Very limited	Very slow	Very high
54	MEREDITH EXTREMELY STONY SANDY LOAM, 50 TO 70 PERCENT SLOPES								
		MEREDITH	90	> 72	None	Very limited	Very limited	Rapid	Low
55	MORD LOAM, 3 TO 15 PERCENT SLOPES								
		MORD	90	> 72	None	Somewhat limited	Very limited	Slow	High
56	MORD LOAM, 15 TO 30 PERCENT SLOPES								
		MORD	90	> 72	None	Very limited	Very limited	Slow	Very high
57	MULSTAY STONY LOAM, 10 TO 50 PERCENT SLOPES								
		MULSTAY	90	> 72	None	Very limited	Very limited	Slow	Very high
58	NEWCOMB GRAVELLY SANDY LOAM, 0 TO 20 PERCENT SLOPES								
		NEWCOMB	90	> 72	None	Somewhat limited	Very limited	Moderate	Medium
59	NEWCOMB GRAVELLY SANDY LOAM, 20 TO 50 PERCENT SLOPES								
		NEWCOMB	85	> 72	None	Very limited	Very limited	Moderate	High
6	BENTEEN LOAM, 15 TO 40 PERCENT SLOPES								
		BENTEEN	85	> 72	None	Very limited	Very limited	Very slow	High
60	NEWCOMB-ROCK OUTCROP COMPLEX, 20 TO 50 PERCENT SLOPES								
		NEWCOMB	70	> 72	None	Very limited	Very limited	Moderate	High
		ROCK OUTCROP	15	> 72	None	Very limited	Very limited	Very slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
61	NEWCOMB-ROCK OUTCROP COMPLEX, 50 TO 70 PERCENT SLOPES								
		NEWCOMB	60	> 72	None	Very limited	Very limited	Moderate	High
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high
62	PEELER SANDY LOAM, 3 TO 15 PERCENT SLOPES								
		PEELER	85	> 72	None	Somewhat limited	Very limited	Moderate	Medium
63	PEELER SANDY LOAM, 15 TO 50 PERCENT SLOPES								
		PEELER	90	> 72	None	Very limited	Very limited	Moderate	High
64	PERGELIC CRYORTHENTS-ROCK OUTCROP COMPLEX, EXTREMELY STEEP								
		PERGELIC CRYORTHENTS	60	> 72	None	Very limited	Very limited	Slow	High
		ROCK OUTCROP	30	> 72	None	Very limited	Very limited	Very slow	Very high
65	QUANDER COBBLY LOAM, 2 TO 15 PERCENT SLOPES								
		QUANDER	90	> 72	None	Very limited	Very limited	Moderate	Medium
66	QUANDER STONY LOAM, 15 TO 55 PERCENT SLOPES								
		QUANDER	90	> 72	None	Very limited	Very limited	Moderate	High
67	ROCK OUTCROP-CRYOBORALFS COMPLEX, VERY STEEP								
		ROCK OUTCROP	65	> 72	None	Very limited	Very limited	Very slow	Very high
		CRYOBORALFS	25	> 72	None	Very limited	Very limited	Very slow	Very high
68	ROCK OUTCROP-CRYOBOROLLS COMPLEX, EXTREMELY STEEP								
		ROCK OUTCROP	70	> 72	None	Very limited	Very limited	Very slow	Very high
		CRYOBOROLLS	25	> 72	None	Very limited	Very limited	Moderately slow	Very high
69	ROCK OUTCROP-HAPLOBOROLLS COMPLEX, EXTREMELY STEEP								
		ROCK OUTCROP	75	> 72	None	Very limited	Very limited	Very slow	Very high
		HAPLOBOROLLS	20	> 72	None	Very limited	Very limited	Slow	Very high
7	BINCO CLAY LOAM, 2 TO 6 PERCENT SLOPES								
		BINCO	85	> 72	None	Very limited	Somewhat limited	Slow	Medium
70	ROBERT GRAVELLY SANDY LOAM, 15 TO 60 PERCENT SLOPES								
		ROBERT	90	> 72	None	Very limited	Very limited	Slow	Very high
71	ROXAL LOAM, 6 TO 15 PERCENT SLOPES								
		ROXAL	90	> 72	None	Very limited	Very limited	Slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
72	ROXAL LOAM, 15 TO 50 PERCENT SLOPES								
		ROXAL	90	> 72	None	Very limited	Very limited	Slow	Very high
73	RUBBLE LAND								
		RUBBLE LAND	95	> 72	None	Very limited	Very limited	Very rapid	Low
74	SCOUT COBBLY SANDY LOAM, 2 TO 6 PERCENT SLOPES								
		SCOUT	85	> 72	None	Very limited	Very limited	Moderately rapid	Very low
75	SCOUT COBBLY SANDY LOAM, 6 TO 15 PERCENT SLOPES								
		SCOUT	90	> 72	None	Very limited	Very limited	Moderately rapid	Low
76	SCOUT COBBLY SANDY LOAM, 15 TO 65 PERCENT SLOPES								
		SCOUT	90	> 72	None	Very limited	Very limited	Moderately rapid	Medium
77	SUDDUTH LOAM, 6 TO 15 PERCENT SLOPES								
		SUDDUTH	85	> 72	None	Somewhat limited	Very limited	Slow	High
78	SUDDUTH LOAM, 15 TO 30 PERCENT SLOPES								
		SUDDUTH	90	> 72	None	Very limited	Very limited	Slow	Very high
79	TAMP GRAVELLY SANDY LOAM, 3 TO 15 PERCENT SLOPES								
		TAMP	90	> 72	None	Somewhat limited	Very limited	Moderate	Medium
8	BINCO CLAY LOAM, 6 TO 15 PERCENT SLOPES								
		BINCO	85	> 72	None	Very limited	Very limited	Slow	High
80	TAMP GRAVELLY SANDY LOAM, 15 TO 60 PERCENT SLOPES								
		TAMP	90	> 72	None	Very limited	Very limited	Moderate	High
81	TINE GRAVELLY SANDY LOAM, 0 TO 3 PERCENT SLOPES								
		TINE	90	> 72	None	Somewhat limited	Very limited	Moderately rapid	Very low
82	TINE COBBLY SANDY LOAM, 3 TO 15 PERCENT SLOPES								
		TINE	90	> 72	None	Very limited	Very limited	Moderately rapid	Low
83	TINE COBBLY SANDY LOAM, 15 TO 55 PERCENT SLOPES								
		TINE	90	> 72	None	Very limited	Very limited	Moderately rapid	Medium
84	TOLMAN STONY LOAM, 15 TO 50 PERCENT SLOPES								
		TOLMAN	90	> 72	None	Very limited	Very limited	Very slow	Very high
85	TORRIORTHENTS-ROCK OUTCROP COMPLEX, STEEP								
		TORRIORTHENTS	60	> 72	None	Very limited	Very limited	Slow	Very high
		ROCK OUTCROP	25	> 72	None	Very limited	Very limited	Very slow	Very high

Map Unit Symbol	Map Unit Name	Component Name	Percent of Map Unit	Depth to Seasonal High Water Table (inches)	Seasonal Flooding Frequency	Limitations for Buildings without Basements	Limitations for Sewage Lagoons	Permeability Class	Runoff Class
86	UINTA SANDY LOAM, 2 TO 15 PERCENT SLOPES								
		UINTA	85	> 72	None	Somewhat limited	Very limited	Moderate	Medium
87	UINTA SANDY LOAM, 15 TO 50 PERCENT SLOPES								
		UINTA	90	> 72	None	Very limited	Very limited	Moderate	High
88	UPSON STONY SANDY LOAM, 6 TO 15 PERCENT SLOPES								
		UPSON	90	> 72	None	Somewhat limited	Very limited	Moderate	Low
89	UPSON STONY SANDY LOAM, 15 TO 65 PERCENT SLOPES								
		UPSON	90	> 72	None	Very limited	Very limited	Moderate	Medium
9	BINCO CLAY LOAM, 15 TO 35 PERCENT SLOPES								
		BINCO	85	> 72	None	Very limited	Very limited	Slow	Very high
90	WAYBE CLAY LOAM, 10 TO 55 PERCENT SLOPES								
		WAYBE	90	> 72	None	Very limited	Very limited	Very slow	Very high
91	WOODHALL LOAM, 6 TO 15 PERCENT SLOPES								
		WOODHALL	90	> 72	None	Very limited	Very limited	Slow	High
92	WOODHALL LOAM, 15 TO 50 PERCENT SLOPES								
		WOODHALL	90	> 72	None	Very limited	Very limited	Slow	High
93	YUGA LOAM, 2 TO 6 PERCENT SLOPES								
		YUGA	85	> 72	None	Somewhat limited	Somewhat limited	Moderate	Low
94	YUGA LOAM, 6 TO 15 PERCENT SLOPES								
		YUGA	90	> 72	None	Somewhat limited	Very limited	Moderate	Medium
95	YUGA LOAM, 15 TO 45 PERCENT SLOPES								
		YUGA	90	> 72	None	Very limited	Very limited	Moderate	High